## APPLICATION FOR PERMIT

## TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office  APR 2 7 1977  Returned to applicant for correction		
	JUN 1 4 1977	
	The applicant Gregory J. Chachas	
	P.O. Box 1170 Street and No. or P.O. Box No. City or Town	
	Nevada 89301 , hereby make S. application for permission to appropriate the public State and Zip Code No	
	; if a copartnership or association, give names of members.)	
цоп		
1.	The source of the proposed appropriation is <u>Underground</u> Name of stream, lake or other source.	
2.	The amount of water applied for is 3.0 second-feet  One second-foot equals 448.83 gals, per min.	
	(a) If stored in reservoir give number of acre-feetacre-feet	
3.	The water to be used for Irrigation Irrigation, power, mining, manufacturing, domestic, or other use.	
4.	If use is for:	
	(a) Irrigation (state number of acres to be irrigated) 160.0	
	(b) Stockwater (state number and kinds of animals to be watered)	
	(c) Other use (describe fully under "No. 12. Remarks")	
	(d) Power:	
	(1) Horsepower developed	
	(2) Point of return of water to stream	
_	The water is to be diverted from its source at the following point: Being in the SWINEL Sec. 20,	
<b>Σ</b> ,	·	
	T.21N., R.64E., MDMer. from which the SW cor. of said Section 20 bea Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land,	
	S. 45° 36' W. a distance of 3765.5' ft.  it should be stated.	
6.	Place of use W NE NE SE SEC. 20, T.21N., R.64E., MDMex.  Describe by legal subdivision, if on unsurveyed land it should be so stated.	
7.	Use will begin about <u>Jan. 1</u> and end about <u>Dec. 31</u> , of each year.  Day and Month Day and Month	
8.	Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and	
	specifications of your diversion or storage works.) 16" cased drilled well 200' deep.	
	8" turbine pump, 100 hp Elec. motor & sprinkler system	
	State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.	

	Estimated cost of works 531,500,00
10.	Estimated time required to construct works
11.	Estimated time required to complete the application to beneficial use
	Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.
	licant Gregory J. Chachas 9/12/77 by Marion F. Johnson
Com	By s/Arnold C. Wood P.O. Box 238 pared 1p/ga bc/br Ely, Nev. 89301
	DENIAL OF STATE ENGINEER
	deny
	This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the
iollo	wing limitations and conditions:  Application was denied by verbal ruling of the State Engineer on August 17
	Application was denied by verbal ruling of the State Engineer on August 17,
198	3, on the grounds that the applicant has failed to provide the additional
inf	ormation requested and has failed to show a continued interest in the application
and	the granting of the application in the absence of this continuing interest and
rec	uest for additional information would be detrimental to the public interest and
	fano
wei	Tare.
•••••	***************************************
The	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and
not t	o exceedcubic feet per second
•	
Actu	al construction work shall begin on or before
	f of commencement of work shall be filed before
Wor!	k must be prosecuted with reasonable diligence and be completed on or before
	f of completion of work shall be filed before
	lication of water to beneficial use shall be made on or before
	f of the application of water to beneficial use shall be filed on or before
	in support of proof of beneficial use shall be filed on or before
Proof	IN TESTIMONY WHEREOF, L PETER G. MORROS  State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 25th day of AUGUST
Culti	ficate No
	rded Bk Page State Engineer